

## **Saw machine for raised floor**

Customized according to actual production efficiency and effect.

Production capacity: 600pcs/10 hours for calcium sulphate panel

900pcs/10 hours for wood core panel

Cuttable floor thickness: 15-40mm

Floor cutting angle: 0-45° Adjustable and more

The saw blade can cut 1500pcs (Four pieces are a group)

Diamond blade is better than alloy blade

Saw Machine Size:

Length: 3150mm

Width: 2150mm

Height: 1400mm



Distribution Cabinet 1200\*600\*350mm




380V Motor Power: 5.5KW 2 sets ( For saw blade)

3.7KW 2 sets( For saw blade)

0.75KW 1 set ( For slideway)

Rotating speed : 6000-12000 r/Min (Adjustable)



**The cutting machine should use with dust removal equipment.**



**We also can supply with our customized blades which has better cutting effect.**



**Video show**

<https://youtu.be/C5fo42ni9WA>

**Any questions pls contact with us. Thanks.**

Sales Manager: Gail shao

Cell:+86 18261186876

E-mail: [gail@abeiteraisedfloor.com](mailto:gail@abeiteraisedfloor.com)

Add: No. 108, Chaoyang Village, Hengshanqiao Town, Wujin

District, Changzhou City, Jiangsu Province, China